


Please add the following new claims.

29

29. (New) A method for treating CMV infection in a human,
comprising administering an effective amount of a compound which blocks the binding of
a chemokine to US28 or a US28 fragment.

30. (New) A method in accordance with claim 29, wherein said
compound has the formula:



wherein

the subscripts m and n are independently integers of from 0 to 3;

R¹ and R² are substituents independently selected from the group consisting of
halogen, (C₁-C₄)alkyl, (C₁-C₄)alkoxy, (C₁-C₄)alkylthio, (C₁-C₄)haloalkyl,
(C₁-C₄)haloalkoxy, nitro, cyano, (C₁-C₄)acyl, amino, (C₁-C₄)alkylamino,
and di(C₁-C₄)alkylamino; and

R³ is a substituent selected from the group consisting of (C₁-C₄)alkyl, (C₁-
C₄)haloalkyl and (C₁-C₄)acyl.

31. (New) A method in accordance with claim 29, wherein m is 0 and
n is 1.

32. (New) A method in accordance with claim 30, wherein m is 0, n is
1 and R² is selected from the group consisting of halogen, (C₁-C₄)alkyl, (C₁-C₄)alkoxy,
(C₁-C₄)alkylthio and (C₁-C₄)haloalkyl.

33. (New) A method in accordance with claim 32, wherein m is 0, n is
1 and R² is selected from the group consisting of halogen and (C₁-C₄)alkylthio.